



GENERAL NOTES

- 1. WORK AND MATERIALS SHALL COMPLY WITH THE REQUIREMENTS AND STANDARDS OF THE AUTHORITIES HAVING JURISDICTION. IF STANDARDS ARE NOT PROVIDED BY THE AUTHORITIES HAVING JURISDICTION, WORK AND MATERIALS SHALL COMPLY WITH THE MOST CURRENT EDITION OF THE STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION AS JOINTLY PROMULGATED BY THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION (WSDOT) AND THE WASHINGTON STATE CHAPTER OF THE AMERICAN PUBLIC WORKS ASSOCIATION (APWA).

EROSION & SEDIMENT CONTROL NOTES

- 1. THE FOLLOWING CONSTRUCTION SEQUENCE SHALL BE FOLLOWED IN ORDER TO BEST MINIMIZE THE POTENTIAL FOR EROSION AND SEDIMENTATION CONTROL (ESC) PROBLEMS: a) CLEAR AND GRUB SUFFICIENTLY FOR INSTALLATION OF TEMPORARY EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICE MEASURES (BMPs);

- 7. INSPECT SEDIMENT CONTROL BMPs WEEKLY AT A MINIMUM, DAILY DURING A STORM EVENT, AND AFTER ANY DISCHARGE FROM THE SITE (STORMWATER OR NON-STORMWATER). THE INSPECTION FREQUENCY MAY BE REDUCED TO ONCE A MONTH IF THE SITE IS STABILIZED AND INACTIVE.

DEMOLITION NOTES

- 1. MAINTAIN EXISTING UTILITIES INDICATED TO REMAIN IN SERVICE AND PROTECT THEM AGAINST DAMAGE DURING DEMOLITION OPERATIONS. DO NOT INTERRUPT EXISTING UTILITIES SERVING ADJACENT OCCUPIED OR OPERATING FACILITIES UNLESS AUTHORIZED IN WRITING BY OWNER AND AUTHORITIES HAVING JURISDICTION.

EARTHWORK & GRADING NOTES

- 1. SITE PREPARATION, GRADING, EXCAVATION AND FILL REQUIREMENTS BELOW THE PROPOSED IMPROVEMENTS, EMBANKMENTS, AND UTILITY TRENCHING SHALL BE COMPLETED IN CONFORMANCE WITH WSDOT STANDARD SPECIFICATIONS AND THE GEOTECHNICAL ENGINEERING EVALUATION FOR THE SUBJECT SITE.

PAVING NOTES

- 1. DO NOT APPLY PAVEMENT MATERIALS IF SUBGRADE IS WET OR EXCESSIVELY DAMP, OR IF RAIN IS IMMINENT OR EXPECTED BEFORE TIME REQUIRED FOR ADEQUATE CURE, SURFACE AND AIR TEMPERATURES SHALL CONFORM TO REQUIREMENTS OF WSDOT STANDARD SPECIFICATIONS.

UTILITY & DRAINAGE NOTES

- 1. DRAWING PLANS AND DETAILS INDICATE GENERAL LOCATION AND ARRANGEMENT OF UNDERGROUND UTILITY AND STORM DRAIN PIPING. LOCATION AND ARRANGEMENT OF PIPING LAYOUT TAKE DESIGN CONSIDERATIONS INTO ACCOUNT. INSTALL PIPING AS INDICATED, TO EXTENT PRACTICAL. WHERE SPECIFIC INSTALLATION IS NOT INDICATED, FOLLOW PIPING MANUFACTURER'S WRITTEN INSTRUCTIONS AND REQUIREMENTS OF AUTHORITIES HAVING JURISDICTION.



221 N. Wall Street
Suite 500
Spokane, WA 99201
ph 509.328.2994
www.coffman.com



West Plains Transit Center
Operational Expansion &
Enhancements
10810 W. WESTBOW RD., SPOKANE, WA 99224

Spokane Transit Authority
1230 W. Boone Avenue
Spokane, Washington 99201




Table with 3 columns: REV, DATE, DESCRIPTION. Includes project number 2025-11076, drawing KCM, checked by CBM, and date 05/02/2025.

© COFFMAN ENGINEERS INC.

SHEET TITLE:

GENERAL NOTES

SHEET NO:

C-001

SHEET

BID SET

P:\SPO24\0524113 STA WPTC RETROFIT EXPANSION\01 DWG\SC0241113\_GENERAL NOTES.DWG:DETAILS: SIN, AVRAM: LAST SAVED: April 23, 2025 - PLOT DATE: 5/4/25





























